NSAIDs & COX-1 inhibitors to avoid

BRIGHAM AND WOMEN'S HOSPITAL | AERD Center | Scripps

Patients with Aspirin-Exacerbated Respiratory Disease (AERD), or Samter's Triad, should completely avoid all non-steroidal anti-inflammatory drugs (NSAIDs) that inhibit the COX-1 enzyme.

This list includes most commonly available COX-1 inhibitors in the United States – the generic drug name in **bold**, followed by most of the brand names in *italics*. These medications should all be avoided. Please read all medication labels, and check with your healthcare providers to ensure that you are not mistakenly given a prescription for a medication listed below.

- **Aspirin or acetylsalicylate:**
  - *Excedrin*
  - *Pepto-Bismol*
  - *Alka-Seltzer*
  - *Anacin*
  - *Asperbuf*
  - *Aspergum*
  - *Aspermin*
  - *Aspir-Mox*
  - *Aspirtab*
  - *Arthropan*
- **Ibuprofen** *(Motrin, Advil)*
- **Naproxen** *(Aleve, Anaprox)*
- **Ketorolac** *(Toradol)*
- **Diclofenac** *(Arthrotec)*
- **Fluriprofen** *(Ansaid)*
- **Salsalate** *(Amigesic, Argesic, Salflex)*

NSAIDs & COX-1 inhibitors to avoid

BRIGHAM AND WOMEN'S HOSPITAL | AERD Center | Scripps

Patients with Aspirin-Exacerbated Respiratory Disease (AERD), or Samter's Triad, should completely avoid all non-steroidal anti-inflammatory drugs (NSAIDs) that inhibit the COX-1 enzyme.

This list includes most commonly available COX-1 inhibitors in the United States – the generic drug name in **bold**, followed by most of the brand names in *italics*. These medications should all be avoided. Please read all medication labels, and check with your healthcare providers to ensure that you are not mistakenly given a prescription for a medication listed below.

- **Aspirin or acetylsalicylate:**
  - *Excedrin*
  - *Pepto-Bismol*
  - *Alka-Seltzer*
  - *Anacin*
  - *Asperbuf*
  - *Aspergum*
  - *Aspermin*
  - *Aspir-Mox*
  - *Aspirtab*
  - *Arthropan*
- **Ibuprofen** *(Motrin, Advil)*
- **Naproxen** *(Aleve, Anaprox)*
- **Ketorolac** *(Toradol)*
- **Diclofenac** *(Arthrotec)*
- **Fluriprofen** *(Ansaid)*
- **Salsalate** *(Amigesic, Argesic, Salflex)*

NSAIDs & COX-1 inhibitors to avoid

BRIGHAM AND WOMEN'S HOSPITAL | AERD Center | Scripps

Patients with Aspirin-Exacerbated Respiratory Disease (AERD), or Samter's Triad, should completely avoid all non-steroidal anti-inflammatory drugs (NSAIDs) that inhibit the COX-1 enzyme.

This list includes most commonly available COX-1 inhibitors in the United States – the generic drug name in **bold**, followed by most of the brand names in *italics*. These medications should all be avoided. Please read all medication labels, and check with your healthcare providers to ensure that you are not mistakenly given a prescription for a medication listed below.

- **Aspirin or acetylsalicylate:**
  - *Excedrin*
  - *Pepto-Bismol*
  - *Alka-Seltzer*
  - *Anacin*
  - *Asperbuf*
  - *Aspergum*
  - *Aspermin*
  - *Aspir-Mox*
  - *Aspirtab*
  - *Arthropan*
- **Ibuprofen** *(Motrin, Advil)*
- **Naproxen** *(Aleve, Anaprox)*
- **Ketorolac** *(Toradol)*
- **Diclofenac** *(Arthrotec)*
- **Fluriprofen** *(Ansaid)*
- **Salsalate** *(Amigesic, Argesic, Salflex)*

NSAIDs & COX-1 inhibitors to avoid

BRIGHAM AND WOMEN'S HOSPITAL | AERD Center | Scripps

Patients with Aspirin-Exacerbated Respiratory Disease (AERD), or Samter's Triad, should completely avoid all non-steroidal anti-inflammatory drugs (NSAIDs) that inhibit the COX-1 enzyme.

This list includes most commonly available COX-1 inhibitors in the United States – the generic drug name in **bold**, followed by most of the brand names in *italics*. These medications should all be avoided. Please read all medication labels, and check with your healthcare providers to ensure that you are not mistakenly given a prescription for a medication listed below.

- **Aspirin or acetylsalicylate:**
  - *Excedrin*
  - *Pepto-Bismol*
  - *Alka-Seltzer*
  - *Anacin*
  - *Asperbuf*
  - *Aspergum*
  - *Aspermin*
  - *Aspir-Mox*
  - *Aspirtab*
  - *Arthropan*
- **Ibuprofen** *(Motrin, Advil)*
- **Naproxen** *(Aleve, Anaprox)*
- **Ketorolac** *(Toradol)*
- **Diclofenac** *(Arthrotec)*
- **Fluriprofen** *(Ansaid)*
- **Salsalate** *(Amigesic, Argesic, Salflex)*

NSAIDs & COX-1 inhibitors to avoid

BRIGHAM AND WOMEN'S HOSPITAL | AERD Center | Scripps

Patients with Aspirin-Exacerbated Respiratory Disease (AERD), or Samter's Triad, should completely avoid all non-steroidal anti-inflammatory drugs (NSAIDs) that inhibit the COX-1 enzyme.

This list includes most commonly available COX-1 inhibitors in the United States – the generic drug name in **bold**, followed by most of the brand names in *italics*. These medications should all be avoided. Please read all medication labels, and check with your healthcare providers to ensure that you are not mistakenly given a prescription for a medication listed below.

- **Aspirin or acetylsalicylate:**
  - *Excedrin*
  - *Pepto-Bismol*
  - *Alka-Seltzer*
  - *Anacin*
  - *Asperbuf*
  - *Aspergum*
  - *Aspermin*
  - *Aspir-Mox*
  - *Aspirtab*
  - *Arthropan*
- **Ibuprofen** *(Motrin, Advil)*
- **Naproxen** *(Aleve, Anaprox)*
- **Ketorolac** *(Toradol)*
- **Diclofenac** *(Arthrotec)*
- **Fluriprofen** *(Ansaid)*
- **Salsalate** *(Amigesic, Argesic, Salflex)*

NSAIDs & COX-1 inhibitors to avoid

BRIGHAM AND WOMEN'S HOSPITAL | AERD Center | Scripps

Patients with Aspirin-Exacerbated Respiratory Disease (AERD), or Samter's Triad, should completely avoid all non-steroidal anti-inflammatory drugs (NSAIDs) that inhibit the COX-1 enzyme.

This list includes most commonly available COX-1 inhibitors in the United States – the generic drug name in **bold**, followed by most of the brand names in *italics*. These medications should all be avoided. Please read all medication labels, and check with your healthcare providers to ensure that you are not mistakenly given a prescription for a medication listed below.

- **Aspirin or acetylsalicylate:**
  - *Excedrin*
  - *Pepto-Bismol*
  - *Alka-Seltzer*
  - *Anacin*
  - *Asperbuf*
  - *Aspergum*
  - *Aspermin*
  - *Aspir-Mox*
  - *Aspirtab*
  - *Arthropan*
- **Ibuprofen** *(Motrin, Advil)*
- **Naproxen** *(Aleve, Anaprox)*
- **Ketorolac** *(Toradol)*
- **Diclofenac** *(Arthrotec)*
- **Fluriprofen** *(Ansaid)*
- **Salsalate** *(Amigesic, Argesic, Salflex)*

NSAIDs & COX-1 inhibitors to avoid

BRIGHAM AND WOMEN'S HOSPITAL | AERD Center | Scripps

Patients with Aspirin-Exacerbated Respiratory Disease (AERD), or Samter's Triad, should completely avoid all non-steroidal anti-inflammatory drugs (NSAIDs) that inhibit the COX-1 enzyme.

This list includes most commonly available COX-1 inhibitors in the United States – the generic drug name in **bold**, followed by most of the brand names in *italics*. These medications should all be avoided. Please read all medication labels, and check with your healthcare providers to ensure that you are not mistakenly given a prescription for a medication listed below.

- **Aspirin or acetylsalicylate:**
  - *Excedrin*
  - *Pepto-Bismol*
  - *Alka-Seltzer*
  - *Anacin*
  - *Asperbuf*
  - *Aspergum*
  - *Aspermin*
  - *Aspir-Mox*
  - *Aspirtab*
  - *Arthropan*
- **Ibuprofen** *(Motrin, Advil)*
- **Naproxen** *(Aleve, Anaprox)*
- **Ketorolac** *(Toradol)*
- **Diclofenac** *(Arthrotec)*
- **Fluriprofen** *(Ansaid)*
- **Salsalate** *(Amigesic, Argesic, Salflex)*